

# Ohio EPA - Daily Discharge Monitoring Report - Form 4500

SUBMISSION ID:	725076	STATUS:	Original
FACILITY:	Dovetail Energy LLC - Anaerobic Digestion Facility	PERMIT NUMBER:	1IN00305*AD
LOCATION:	1146 Herr Rd Fairborn, OH 45324	STATION CODE:	581
COUNTY:	Greene	MONITORING PERIOD :	2017-12-01 To: 2017-12-31
DISTRICT:	SWDO	REPORTING LAB:	MA SI
		ANALYST:	N/A
		NO DISCHARGE INDICATOR:	

PARAMETER	Biochemical Oxygen Demand, 5 Day	pH	Oil and Grease, Hexane Extr Method	Ammonia (NH3) In Sludge	Nitrogen Kjeldahl, Total In Sludge	Phosphorus, Total In Sludge	Potassium In Sludge
PARAMETER CODE	00310	00400	00552	00611	00627	00668	00938
UNITS	mg/l	S.U.	mg/l	mg/kg	mg/kg	mg/kg	mg/kg
FREQUENCY	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month
SAMPLING TYPE	Composite	Composite	Composite	Composite	Composite	Composite	Composite
2017-12-01							
2017-12-02							
2017-12-03							
2017-12-04							
2017-12-05							
2017-12-06							
2017-12-07							
2017-12-08							
2017-12-09							
2017-12-10							
2017-12-11	18000	7.37	5812	41500	75700	26300	11000
2017-12-12							
2017-12-13							
2017-12-14							
2017-12-15							
2017-12-16							
2017-12-17							
2017-12-18							
2017-12-19							
2017-12-20							
2017-12-21							
2017-12-22							
2017-12-23							
2017-12-24							
2017-12-25							
2017-12-26							
2017-12-27							
2017-12-28							
2017-12-29							
2017-12-30							
2017-12-31							
Minimum	18000.0	7.37	5812.0	41500.0	75700.0	26300.0	11000.0
Maximum	18000.0	7.37	5812.0	41500.0	75700.0	26300.0	11000.0
Average	18000		5812	41500	75700	26300	11000
Count	1	1	1	1	1	1	1
Name of Responsible Official or Authorized Representative	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.			Signature of Responsible Official or Authorized Representative		Submission Date/Time	
Taylor Faecher						Certification Version Date 2018-01-08 16:01	



# Ohio EPA - Daily Discharge Monitoring Report - Form 4500

<b>SUBMISSION ID:</b>	725076	<b>STATUS:</b>	Original
<b>FACILITY:</b>	Dovetail Energy LLC - Anaerobic	<b>PERMIT NUMBER:</b>	1IN00305*AD
<b>LOCATION:</b>	Digestion Facility	<b>STATION CODE:</b>	581
	1146 Herr Rd	<b>MONITORING PERIOD :</b>	2017-12-01 To: 2017-12-31
	Fairborn, OH 45324	<b>REPORTING LAB:</b>	MASI
<b>COUNTY:</b>	Greene	<b>ANALYST:</b>	N/A
<b>DISTRICT:</b>	SWDO	<b>NO DISCHARGE INDICATOR:</b>	

PARAMETER	Arsenic, Total In Sludge	Cadmium, Total In Sludge	Copper, Total In Sludge	Lead, Total In Sludge	Nickel, Total In Sludge	Zinc, Total In Sludge	Selenium, Total In Sludge
PARAMETER CODE	01003	01028	01043	01052	01068	01093	01148
UNITS	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
FREQUENCY	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month
SAMPLING TYPE	Composite	Composite	Composite	Composite	Composite	Composite	Composite
2017-12-01							
2017-12-02							
2017-12-03							
2017-12-04							
2017-12-05							
2017-12-06							
2017-12-07							
2017-12-08							
2017-12-09							
2017-12-10							
2017-12-11	10	1	378	10	14	543	4
2017-12-12							
2017-12-13							
2017-12-14							
2017-12-15							
2017-12-16							
2017-12-17							
2017-12-18							
2017-12-19							
2017-12-20							
2017-12-21							
2017-12-22							
2017-12-23							
2017-12-24							
2017-12-25							
2017-12-26							
2017-12-27							
2017-12-28							
2017-12-29							
2017-12-30							
2017-12-31							
Minimum	10.0	1.0	378.0	10.0	14.0	543.0	4.0
Maximum	10.0	1.0	378.0	10.0	14.0	543.0	4.0
Average	10	1	378	10	14	543	4
Count	1	1	1	1	1	1	1
Name of Responsible Official or Authorized Representative	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.			Signature of Responsible Official or Authorized Representative		Submission Date/Time	
Taylor Faecher						Certification Version Date 2018-01-08 16:01	



# Ohio EPA - Daily Discharge Monitoring Report - Form 4500

<b>SUBMISSION ID:</b>	725076	<b>STATUS:</b>	Original
<b>FACILITY:</b>	Dovetail Energy LLC - Anaerobic	<b>PERMIT NUMBER:</b>	1IN00305*AD
<b>LOCATION:</b>	Digestion Facility	<b>STATION CODE:</b>	581
	1146 Herr Rd	<b>MONITORING PERIOD :</b>	2017-12-01 To: 2017-12-31
	Fairborn, OH 45324	<b>REPORTING LAB:</b>	MASI
<b>COUNTY:</b>	Greene	<b>ANALYST:</b>	N/A
<b>DISTRICT:</b>	SWDO	<b>NO DISCHARGE INDICATOR:</b>	

PARAMETER	Fecal Coliform in Sludge	Sludge Fee Weight	Sludge Weight	Sludge Solids, Percent Total	Mercury, Total In Sludge	Molybdenum In Sludge	
PARAMETER CODE	31641	51129	70316	70318	71921	78465	
UNITS	MPN/G	dry tons	Dry Tons	%	mg/kg	mg/kg	
FREQUENCY	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month	
SAMPLING TYPE	Composite	Total	Total	Composite	Composite	Composite	
2017-12-01							
2017-12-02							
2017-12-03							
2017-12-04							
2017-12-05							
2017-12-06							
2017-12-07							
2017-12-08							
2017-12-09							
2017-12-10							
2017-12-11	21047	695.7	695.7	7.57	.03	9	
2017-12-12							
2017-12-13							
2017-12-14							
2017-12-15							
2017-12-16							
2017-12-17							
2017-12-18							
2017-12-19							
2017-12-20							
2017-12-21							
2017-12-22							
2017-12-23							
2017-12-24							
2017-12-25							
2017-12-26							
2017-12-27							
2017-12-28							
2017-12-29							
2017-12-30							
2017-12-31							
Minimum	21047.0	695.7	695.7	7.57	0.03	9.0	
Maximum	21047.0	695.7	695.7	7.57	0.03	9.0	
Average	21047	695.7	695.7	7.57	0.03	9	
Count	1	1	1	1	1	1	
Name of Responsible Official or Authorized Representative	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.			Signature of Responsible Official or Authorized Representative		Submission Date/Time	
Taylor Faecher						Certification Version Date 2018-01-08 16:01	



# Ohio EPA - Daily Discharge Monitoring Report - Form 4500

<b>SUBMISSION ID:</b>	725076	<b>STATUS:</b>	Original
<b>FACILITY:</b>	Dovetail Energy LLC - Anaerobic	<b>PERMIT NUMBER:</b>	1IN00305*AD
<b>LOCATION:</b>	Digestion Facility	<b>STATION CODE:</b>	584
	1146 Herr Rd	<b>MONITORING PERIOD :</b>	2017-12-01 To: 2017-12-31
	Fairborn, OH 45324	<b>REPORTING LAB:</b>	
<b>COUNTY:</b>	Greene	<b>ANALYST:</b>	
<b>DISTRICT:</b>	SWDO	<b>NO DISCHARGE INDICATOR:</b>	AL

PARAMETER	Biochemical Oxygen Demand, 5 Day	pH	Oil and Grease, Hexane Extr Method	Ammonia (NH3) In Sludge	Nitrogen Kjeldahl, Total In Sludge	Phosphorus, Total In Sludge	Potassium In Sludge
PARAMETER CODE	00310	00400	00552	00611	00627	00668	00938
UNITS	mg/l	S.U.	mg/l	mg/kg	mg/kg	mg/kg	mg/kg
FREQUENCY	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month
SAMPLING TYPE	Composite	Composite	Composite	Composite	Composite	Composite	Composite
2017-12-01							
2017-12-02							
2017-12-03							
2017-12-04							
2017-12-05							
2017-12-06							
2017-12-07							
2017-12-08							
2017-12-09							
2017-12-10							
2017-12-11							
2017-12-12							
2017-12-13							
2017-12-14							
2017-12-15							
2017-12-16							
2017-12-17							
2017-12-18							
2017-12-19							
2017-12-20							
2017-12-21							
2017-12-22							
2017-12-23							
2017-12-24							
2017-12-25							
2017-12-26							
2017-12-27							
2017-12-28							
2017-12-29							
2017-12-30							
2017-12-31							
Minimum							
Maximum							
Average							
Count							
<b>Name of Responsible Official or Authorized Representative</b>	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.			<b>Signature of Responsible Official or Authorized Representative</b>		<b>Submission Date/Time</b>	
Taylor Faecher						<b>Certification Version Date</b> 2018-01-08 16:01	





# Ohio EPA - Daily Discharge Monitoring Report - Form 4500

<b>SUBMISSION ID:</b>	725076	<b>STATUS:</b>	Original
<b>FACILITY:</b>	Dovetail Energy LLC - Anaerobic	<b>PERMIT NUMBER:</b>	1IN00305*AD
<b>LOCATION:</b>	Digestion Facility	<b>STATION CODE:</b>	584
	1146 Herr Rd	<b>MONITORING PERIOD :</b>	2017-12-01 To: 2017-12-31
	Fairborn, OH 45324	<b>REPORTING LAB:</b>	
<b>COUNTY:</b>	Greene	<b>ANALYST:</b>	
<b>DISTRICT:</b>	SWDO	<b>NO DISCHARGE INDICATOR:</b>	AL

PARAMETER	Arsenic, Total In Sludge	Cadmium, Total In Sludge	Copper, Total In Sludge	Lead, Total In Sludge	Nickel, Total In Sludge	Zinc, Total In Sludge	Selenium, Total In Sludge
PARAMETER CODE	01003	01028	01043	01052	01068	01093	01148
UNITS	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
FREQUENCY	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month
SAMPLING TYPE	Composite	Composite	Composite	Composite	Composite	Composite	Composite
2017-12-01							
2017-12-02							
2017-12-03							
2017-12-04							
2017-12-05							
2017-12-06							
2017-12-07							
2017-12-08							
2017-12-09							
2017-12-10							
2017-12-11							
2017-12-12							
2017-12-13							
2017-12-14							
2017-12-15							
2017-12-16							
2017-12-17							
2017-12-18							
2017-12-19							
2017-12-20							
2017-12-21							
2017-12-22							
2017-12-23							
2017-12-24							
2017-12-25							
2017-12-26							
2017-12-27							
2017-12-28							
2017-12-29							
2017-12-30							
2017-12-31							
Minimum							
Maximum							
Average							
Count							

<b>Name of Responsible Official or Authorized Representative</b>  <div style="text-align: center; font-size: 1.2em;">Taylor Faecher</div>	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.	<b>Signature of Responsible Official or Authorized Representative</b>  <div style="height: 40px;"></div>	<b>Submission Date/Time</b>  <div style="text-align: center;"> <b>Certification Version Date</b>            2018-01-08 16:01         </div>
---	--	--	---



# Ohio EPA - Daily Discharge Monitoring Report - Form 4500

<b>SUBMISSION ID:</b>	725076	<b>STATUS:</b>	Original
<b>FACILITY:</b>	Dovetail Energy LLC - Anaerobic	<b>PERMIT NUMBER:</b>	1IN00305*AD
<b>LOCATION:</b>	Digestion Facility	<b>STATION CODE:</b>	584
	1146 Herr Rd	<b>MONITORING PERIOD :</b>	2017-12-01 To: 2017-12-31
	Fairborn, OH 45324	<b>REPORTING LAB:</b>	
<b>COUNTY:</b>	Greene	<b>ANALYST:</b>	
<b>DISTRICT:</b>	SWDO	<b>NO DISCHARGE INDICATOR:</b>	AL

PARAMETER	Fecal Coliform in Sludge	Sludge Fee Weight	Sludge Weight	Mercury, Total In Sludge	Molybdenum In Sludge		
PARAMETER CODE	31641	51129	70316	71921	78465		
UNITS	MPN/G	dry tons	Dry Tons	mg/kg	mg/kg		
FREQUENCY	1/Month	1/Month	1/Month	1/Month	1/Month		
SAMPLING TYPE	Multiple Grab	Total	Total	Composite	Composite		
2017-12-01							
2017-12-02							
2017-12-03							
2017-12-04							
2017-12-05							
2017-12-06							
2017-12-07							
2017-12-08							
2017-12-09							
2017-12-10							
2017-12-11							
2017-12-12							
2017-12-13							
2017-12-14							
2017-12-15							
2017-12-16							
2017-12-17							
2017-12-18							
2017-12-19							
2017-12-20							
2017-12-21							
2017-12-22							
2017-12-23							
2017-12-24							
2017-12-25							
2017-12-26							
2017-12-27							
2017-12-28							
2017-12-29							
2017-12-30							
2017-12-31							
Minimum							
Maximum							
Average							
Count							
<b>Name of Responsible Official or Authorized Representative</b>	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.			<b>Signature of Responsible Official or Authorized Representative</b>		<b>Submission Date/Time</b>	
Taylor Faecher						<b>Certification Version Date</b>  2018-01-  08 16:01	



# Ohio EPA - Daily Discharge Monitoring Report - Form 4500

<b>SUBMISSION ID:</b>	725076	<b>STATUS:</b>	Original
<b>FACILITY:</b>	Dovetail Energy LLC - Anaerobic	<b>PERMIT NUMBER:</b>	<b>1IN00305*AD</b>
<b>LOCATION:</b>	Digestion Facility	<b>STATION CODE:</b>	586
	1146 Herr Rd	<b>MONITORING PERIOD :</b>	<u>2017-12-01</u> To: <u>2017-12-31</u>
	Fairborn, OH 45324	<b>REPORTING LAB:</b>	
<b>COUNTY:</b>	Greene	<b>ANALYST:</b>	
<b>DISTRICT:</b>	SWDO	<b>NO DISCHARGE INDICATOR:</b>	<b>AL</b>

PARAMETER	Sludge Fee Weight					
PARAMETER CODE	51129					
UNITS	dry tons					
FREQUENCY	1/Year					
SAMPLING TYPE	Total					
2017-12-01						
2017-12-02						
2017-12-03						
2017-12-04						
2017-12-05						
2017-12-06						
2017-12-07						
2017-12-08						
2017-12-09						
2017-12-10						
2017-12-11						
2017-12-12						
2017-12-13						
2017-12-14						
2017-12-15						
2017-12-16						
2017-12-17						
2017-12-18						
2017-12-19						
2017-12-20						
2017-12-21						
2017-12-22						
2017-12-23						
2017-12-24						
2017-12-25						
2017-12-26						
2017-12-27						
2017-12-28						
2017-12-29						
2017-12-30						
2017-12-31						
Minimum						
Maximum						
Average						
Count						
<b>Name of Responsible Official or Authorized Representative</b>	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.			<b>Signature of Responsible Official or Authorized Representative</b>		<b>Submission Date/Time</b>
Taylor Faecher						<b>Certification Version Date</b>  2018-01-08 16:01



# Ohio EPA - Daily Discharge Monitoring Report - Form 4500

<b>SUBMISSION ID:</b>	725076	<b>STATUS:</b>	Original
<b>FACILITY:</b>	Dovetail Energy LLC - Anaerobic	<b>PERMIT NUMBER:</b>	<b>1IN00305*AD</b>
<b>LOCATION:</b>	Digestion Facility	<b>STATION CODE:</b>	588
	1146 Herr Rd	<b>MONITORING PERIOD :</b>	<b>2017-12-01 To: 2017-12-31</b>
	Fairborn, OH 45324	<b>REPORTING LAB:</b>	MASI
<b>COUNTY:</b>	Greene	<b>ANALYST:</b>	N/A
<b>DISTRICT:</b>	SWDO	<b>NO DISCHARGE INDICATOR:</b>	

PARAMETER	Sludge Weight					
PARAMETER CODE	70316					
UNITS	Dry Tons					
FREQUENCY	1/Year					
SAMPLING TYPE	Total					
2017-12-01	688.25					
2017-12-02						
2017-12-03						
2017-12-04						
2017-12-05						
2017-12-06						
2017-12-07						
2017-12-08						
2017-12-09						
2017-12-10						
2017-12-11						
2017-12-12						
2017-12-13						
2017-12-14						
2017-12-15						
2017-12-16						
2017-12-17						
2017-12-18						
2017-12-19						
2017-12-20						
2017-12-21						
2017-12-22						
2017-12-23						
2017-12-24						
2017-12-25						
2017-12-26						
2017-12-27						
2017-12-28						
2017-12-29						
2017-12-30						
2017-12-31						
Minimum	688.25					
Maximum	688.25					
Average	688.25					
Count	1					

<b>Name of Responsible Official or Authorized Representative</b>  <div style="text-align: center; font-size: 1.2em;">Taylor Faecher</div>	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.	<b>Signature of Responsible Official or Authorized Representative</b>  <div style="height: 80px;"></div>	<b>Submission Date/Time</b>  <div style="text-align: center;"> <b>Certification Version Date</b>                      2018-01-08 16:01                 </div>
---	--	--	---

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

FACILITY:

LOCATION:

Dovetail Energy LLC - Anaerobic  
Digestion Facility  
1146 Herr Rd  
Fairborn, OH 45324

PERMIT NUMBER:

MONITORING PERIOD :

1IN00305\*AD  
2017-12-01 To: 2017-12-31

PARAMETER COMMENTS:

Station Code	Parameter Name	Parameter Code	Date	Unit	Comment
-----------------	-------------------	-------------------	------	------	---------